

## SEQUENCE LISTING

RECEIVED

6

```
<110> Thilly, William G.
<120> Methods of Identifying Point Mutations
  in a Genome
<130> 2909.1000-004
                                                                           TECH CENTER 1600/2900
<140> 09/503,758
<141> 2000-02-14
<150> PCT/US99/29379
<151> 1999-12-09
<150> US 60/111,457
<151> 1998-12-09
<160> 3
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 6
<212> DNA
                                                                     RECEIVED
<213> Homo sapiens
<400> 1
                                                                        JUL 28 2000
gtcgca
<210> 2
                                                                  T-FECH CENTER 1600/2900
<211> 6
<212> DNA
<213> Homo sapiens
<400> 2
gttgca
<210> 3
<211> 78
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic DNA/RNA chimera
<221> modified base
<222> (17)...(\overline{17})
<223> 2'-0-methyl adenosine
<221> modified base
<222> (18)...(18)
```

<223> gm

```
<221> modified_base
<222> (19)...(20)
<223> cm
<221> modified base
\langle 222 \rangle (21) . . . (\overline{2}1)
<223> 2'-0-methyl adenosine
<221> modified base
<222> (22)...(22)
<223> gm
<221> modified base
<222> (23)...(23)
<223> cm
<221> modified base
<222> (24)...(\overline{2}4)
<223> um
<221> modified_base
<222> (25)...(26)
<223> gm
<221> modified base
\langle 222 \rangle (32)...(\overline{3}2)
<223> 2'-0-methyl adenosine
<221> modified_base
\langle 222 \rangle (33)...(\overline{3}3)
<223> gm
<221> modified_base
<222> (34)...(37)
<223> 2'-0-methyl adenosine
<221> modified_base
<222> (38)...(39)
<223> cm
<221> modified base
\langle 222 \rangle (40) \dots (\overline{4}0)
<223> um
<221> modified_base
<222> (41)...(\overline{4}1)
<223> gm
<223> (1)...(16), (27)...(31), (42)...(78) DNA
<223> (17)...(26), (32)...(41) 2'-0-methyl RNA
```

<400> 3 gggagctttt gctcccagcc agcuggccta gagaaaaccu gaaggttttc cttcaggttt tctctaggcc agctggct

60 78